

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5 :

C07K 13/00, C12N 15/10, 15/13  
// C12Q 1/68

A1

(11) International Publication Number:

WO 90/05144

(43) International Publication Date:

17 May 1990 (17.05.90)

(21) International Application Number: PCT GB89 01344

(74) Agent: MERCER, Christopher, Paul: Carpmaels &amp; Ransford, 43 Bloomsbury Square, London WC1A 2RA (GB).

(22) International Filing Date: 13 November 1989 (13.11.89)

(81) Designated States: AU, DK, FI, JP, KR, NO, US.

(30) Priority data:

8826444.5	11 November 1988 (11.11.88)	GB
8906034.7	16 March 1989 (16.03.89)	GB
8909217.5	22 April 1989 (22.04.89)	GB
8911047.2	15 May 1989 (15.05.89)	GB
8912652.8	2 June 1989 (02.06.89)	GB
8913900.0	16 June 1989 (16.06.89)	GB
8918543.3	15 August 1989 (15.08.89)	GB

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(71) Applicant (for all designated States except US): MEDICAL RESEARCH COUNCIL [GB GB]: 20 Park Crescent, London WIN 4AL (GB).

(72) Inventors: and

(75) Inventors/Applicants (for US only): WINTER, Gregory, Paul [GB GB]: 64 Cavendish Avenue, Cambridge CB1 4LT (GB). WARD, Elizabeth, Sally [GB GB]: Sidney Sussex College, Cambridge CB2 3HU (GB). GUSSOW, Detlef [DE GB]: 5 Linton Road, Abington, Cambridge CB1 6AA (GB).

(54) Title: SINGLE DOMAIN LIGANDS, RECEPTORS COMPRISING SAID LIGANDS, METHODS FOR THEIR PRODUCTION, AND USE OF SAID LIGANDS AND RECEPTORS

## (57) Abstract

The present invention relates to single domain ligands derived from molecules in the immunoglobulin (Ig) superfamily, receptors comprising at least one such ligand, methods for cloning, amplifying and expressing DNA sequences encoding such ligands, preferably using the polymerase chain reaction, methods for the use of said DNA sequences in the production of Ig-type molecules and said ligands or receptors, and the use of said ligands or receptors in therapy, diagnosis or catalysis.